



Tutti Fruity

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 5/29/2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Product name	: Tutti Fruity
UFI	: 5FEX-K15U-500C-56RQ
Type of product	: Perfumes, fragrances
Product group	: Finished Good

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	: Industrial use, Professional use
Industrial/Professional use spec	: For professional use only Industrial
Use of the substance/mixture	: Perfumes, fragrances
Function or use category	: Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

SHOTFEET LIMITED
Units 2 & 3 Ellis Court
Manton Park Cockerell Road
Corby NN17 5DY
07703346297 hello@shotfeet.com

1.4. Emergency telephone number

Emergency number : 07703346297

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2	H315
Skin sensitisation, Category 1	H317
Reproductive toxicity, Category 2	H361
Hazardous to the aquatic environment — Chronic Hazard, Category 2	H411
Full text of H statements : see section 16	

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

GHS08

GHS09

Signal word (CLP) : Warning

Hazardous ingredients : Eugenol; Clove leaf oil ; Cinnamic aldehyde; Linalool; Methyl salicylate; d-Limonene;

Estragole (Methyl-chavicol)
EN (English)

Tutti Fruity

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazard statements (CLP)

: H315 - Causes skin irritation.
H317 - May cause an allergic skin reaction.
H361 - Suspected of damaging fertility or the unborn child.
H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP)

: P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P264 - Wash hands, forearms and face thoroughly after handling.
P272 - Contaminated work clothing should not be allowed out of the workplace.
P273 - Avoid release to the environment.
P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
d-Limonene	(CAS-No.) 5989-27-5 (EC-No.) 227-813-5 (EC Index-No.) 601-029-00-7 (REACH-no) 01-2119493353-35	9.85 – 19.7	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Methyl salicylate	(CAS-No.) 119-36-8 (EC-No.) 204-317-7	1.5 – 3	Acute Tox. 4 (Oral), H302 Repr. 2, H361
Clove leaf oil	(CAS-No.) 8000-34-8 (EC-No.) 616-772-2	1.3 – 2.6	Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304
Vanillin	(CAS-No.) 121-33-5 (EC-No.) 204-465-2 (REACH-no) 01-2119516040-60	1.15 – 2.3	Eye Irrit. 2, H319
Isoamyl acetate substance with a Community workplace exposure limit	(CAS-No.) 123-92-2 (EC-No.) 204-662-3 (EC Index-No.) 607-130-00-2 (REACH-no) 01-2119548408-32	0.875 – 1.75	Flam. Liq. 3, H226
Allyl caproate	(CAS-No.) 123-68-2 (EC-No.) 204-642-4 (REACH-no) 01-2119983573-26	0.7 – 1.4	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Linalool	(CAS-No.) 78-70-6 (EC-No.) 201-134-4 (EC Index-No.) 603-235-00-2 (REACH-no) 01-2119474016-42	0.6 – 1.2	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Eugenol	(CAS-No.) 97-53-0 (EC-No.) 202-589-1	0.45 – 0.9	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1B, H317

Tutti Fruity

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Cinnamic aldehyde	(CAS-No.) 104-55-2 (EC-No.) 203-213-9 (REACH-no) 01-2119935242-45	0.4 – 0.8	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Estragole (Methyl chavicol)	(CAS-No.) 140-67-0 (EC-No.) 205-427-8 (REACH-no) 01-2120783278-41	0.075 – 0.15	Acute Tox. 4 (Oral), H302 Skin Sens. 1B, H317 Muta. 2, H341 Carc. 2, H351

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Wash with plenty of water/.... Wash contaminated clothing before reuse. If skin irritation occurs: Get immediate medical advice/attention. Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label). If skin irritation or rash occurs: Get immediate medical advice/attention. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	: May cause an allergic skin reaction.
Symptoms/effects after skin contact	: Causes skin irritation.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Combustible liquid.
Explosion hazard	: May form flammable/explosive vapour-air mixture.

5.3. Advice for firefighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.
------------------	---

Tutti Fruity

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.
Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.
Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Precautions for safe handling : No open flames. No smoking. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.
Hygiene measures : Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.
Storage conditions : Keep in fireproof place. Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use.
Incompatible products : Strong bases. Strong acids.
Incompatible materials : Heat sources. Sources of ignition. Direct sunlight.
Storage temperature : 25 °C
Storage area : Store in a well-ventilated place. Store away from heat.
Special rules on packaging : Store in a closed container.
Packaging materials : Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Isoamyl acetate (123-92-2)

EU - Occupational Exposure Limits

IOELV TWA (mg/m³)	270 mg/m³
IOELV TWA (ppm)	50 ppm
IOELV STEL (mg/m³)	540 mg/m³
IOELV STEL (ppm)	100 ppm

Tutti Fruity

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Isoamyl acetate (123-92-2)

Austria - Occupational Exposure Limits

MAK (mg/m ³)	270 mg/m ³ (Pentyl acetate (all isomers))
MAK (ppm)	50 ppm (Pentyl acetate (all isomers))
MAK Short time value (mg/m ³)	540 mg/m ³ (Pentylacetate)
MAK Short time value (ppm)	100 ppm (Pentylacetate)

Belgium - Occupational Exposure Limits

Limit value (mg/m ³)	270 mg/m ³
Limit value (ppm)	50 ppm
Short time value (mg/m ³)	540 mg/m ³
Short time value (ppm)	100 ppm

Bulgaria - Occupational Exposure Limits

OEL TWA (mg/m ³)	270 mg/m ³
OEL TWA (ppm)	50 ppm
OEL STEL (mg/m ³)	540 mg/m ³
OEL STEL (ppm)	100 ppm

Croatia - Occupational Exposure Limits

GVI (granična vrijednost izloženosti) (mg/m ³)	270 mg/m ³
GVI (granična vrijednost izloženosti) (ppm)	50 ppm
KGVI (kratkotrajna granična vrijednost izloženosti) (mg/m ³)	540 mg/m ³
KGVI (kratkotrajna granična vrijednost izloženosti) (ppm)	100 ppm

Cyprus - Occupational Exposure Limits

OEL TWA (mg/m ³)	270 mg/m ³
OEL TWA (ppm)	50 ppm
OEL STEL (mg/m ³)	540 mg/m ³
OEL STEL (ppm)	100 ppm

Denmark - Occupational Exposure Limits

Grænsevædi (8 timer) (mg/m ³)	271 mg/m ³ (Amyl acetate, all isomers)
Grænsevædi (8 timer) (ppm)	50 ppm (Amyl acetate, all isomers)

Estonia - Occupational Exposure Limits

OEL TWA (mg/m ³)	270 mg/m ³
OEL TWA (ppm)	50 ppm
OEL STEL (mg/m ³)	540 mg/m ³
OEL STEL (ppm)	100 ppm

Finland - Occupational Exposure Limits

HTP-arvo (8h) (mg/m ³)	270 mg/m ³ (Pentyl acetate)
HTP-arvo (8h) (ppm)	50 ppm (Pentyl acetate)
HTP-arvo (15 min)	540 mg/m ³
HTP-arvo (15 min) (ppm)	100 ppm

Tutti Fruity

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Isoamyl acetate (123-92-2)

France - Occupational Exposure Limits

VME (mg/m ³)	270 mg/m ³ (restrictive limit)
VME (ppm)	50 ppm (restrictive limit)
VLE (mg/m ³)	540 mg/m ³ (restrictive limit)
VLE (ppm)	100 ppm (restrictive limit)

Germany - Occupational Exposure Limits (TRGS 900)

Occupational exposure limit value (mg/m ³)	270 mg/m ³
Occupational exposure limit value (ppm)	50 ppm

Gibraltar - Occupational Exposure Limits

Eight hours mg/m ³	270 mg/m ³
Eight hours ppm	50 ppm
Short-term mg/m ³	540 mg/m ³
Short-term ppm	100 ppm

Greece - Occupational Exposure Limits

OEL TWA (mg/m ³)	530 mg/m ³
OEL TWA (ppm)	100 ppm
OEL STEL (mg/m ³)	800 mg/m ³
OEL STEL (ppm)	150 ppm

Hungary - Occupational Exposure Limits

AK-érték	270 mg/m ³
CK-érték	540 mg/m ³

Ireland - Occupational Exposure Limits

OEL (8 hours ref) (mg/m ³)	260 mg/m ³
OEL (8 hours ref) (ppm)	50 ppm
OEL (15 min ref) (mg/m ³)	520 mg/m ³
OEL (15 min ref) (ppm)	100 ppm

Italy - Occupational Exposure Limits

OEL TWA (mg/m ³)	270 mg/m ³
OEL TWA (ppm)	50 ppm
OEL STEL (mg/m ³)	540 mg/m ³
OEL STEL (ppm)	100 ppm

Latvia - Occupational Exposure Limits

OEL TWA (mg/m ³)	270 mg/m ³
OEL TWA (ppm)	50 ppm

Lithuania - Occupational Exposure Limits

IPRV (mg/m ³)	270 mg/m ³
IPRV (ppm)	50 ppm
TPRV (mg/m ³)	540 mg/m ³
TPRV (ppm)	100 ppm

Tutti Fruity

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Isoamyl acetate (123-92-2)

Luxembourg - Occupational Exposure Limits

OEL TWA (mg/m ³)	270 mg/m ³
OEL TWA (ppm)	50 ppm
OEL STEL (mg/m ³)	540 mg/m ³
OEL STEL (ppm)	100 ppm

Malta - Occupational Exposure Limits

OEL TWA (mg/m ³)	270 mg/m ³
OEL TWA (ppm)	50 ppm
OEL STEL (mg/m ³)	540 mg/m ³
OEL STEL (ppm)	100 ppm

Netherlands - Occupational Exposure Limits

Grenswaarde TGG 15MIN (mg/m ³)	530 mg/m ³
--	-----------------------

Poland - Occupational Exposure Limits

NDS (mg/m ³)	250 mg/m ³
NDSch (mg/m ³)	500 mg/m ³

Portugal - Occupational Exposure Limits

OEL TWA (mg/m ³)	270 mg/m ³ (indicative limit value)
OEL TWA (ppm)	50 ppm (indicative limit value)
OEL STEL (mg/m ³)	540 mg/m ³ (indicative limit value)
OEL STEL (ppm)	100 ppm (indicative limit value, regulated under Pentyl acetate, all isomers)

Romania - Occupational Exposure Limits

OEL TWA (mg/m ³)	270 mg/m ³
OEL TWA (ppm)	50 ppm
OEL STEL (mg/m ³)	540 mg/m ³
OEL STEL (ppm)	100 ppm

Slovakia - Occupational Exposure Limits

NPHV (priemerná) (mg/m ³)	270 mg/m ³
NPHV (priemerná) (ppm)	50 ppm
NPHV (Hraničná) (mg/m ³)	540 mg/m ³

Slovenia - Occupational Exposure Limits

OEL TWA (mg/m ³)	270 mg/m ³
OEL TWA (ppm)	50 ppm
OEL STEL (mg/m ³)	540 mg/m ³
OEL STEL (ppm)	100 ppm

Spain - Occupational Exposure Limits

VLA-ED (mg/m ³)	270 mg/m ³ (indicative limit value)
VLA-ED (ppm)	50 ppm (indicative limit value)
VLA-EC (mg/m ³)	540 mg/m ³
VLA-EC (ppm)	100 ppm

Tutti Fruity

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Isoamyl acetate (123-92-2)

Sweden - Occupational Exposure Limits

nivågränsvärde (NVG) (mg/m ³)	270 mg/m ³ (Pentyl acetates)
nivågränsvärde (NVG) (ppm)	50 ppm (Pentyl acetates)
kortidsvärde (KTV) (mg/m ³)	540 mg/m ³ (Pentyl acetates)
kortidsvärde (KTV) (ppm)	100 ppm (Pentyl acetates)

Norway - Occupational Exposure Limits

Grenseverdier (AN) (mg/m ³)	260 mg/m ³
Grenseverdier (AN) (ppm)	50 ppm
Grenseverdier (Kortidsverdi) (mg/m ³)	325 mg/m ³ (value calculated)
Grenseverdier (Kortidsverdi) (ppm)	75 ppm (value calculated)

Turkey - Occupational Exposure Limits

OEL TWA (mg/m ³)	270 mg/m ³
OEL TWA (ppm)	50 ppm
OEL STEL (mg/m ³)	540 mg/m ³
OEL STEL (ppm)	100 ppm

USA - ACGIH - Occupational Exposure Limits

ACGIH TWA (ppm)	50 ppm (Pentyl acetate, all isomers)
ACGIH STEL (ppm)	100 ppm (Pentyl acetate, all isomers)

d-Limonene (5989-27-5)

Finland - Occupational Exposure Limits

HTP-arvo (8h) (mg/m ³)	140 mg/m ³
HTP-arvo (8h) (ppm)	25 ppm
HTP-arvo (15 min)	280 mg/m ³
HTP-arvo (15 min) (ppm)	50 ppm

Germany - Occupational Exposure Limits (TRGS 900)

Occupational exposure limit value (mg/m ³)	28 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Occupational exposure limit value (ppm)	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Chemical category	Skin notation, Skin sensitization

Slovenia - Occupational Exposure Limits

OEL TWA (mg/m ³)	28 mg/m ³
OEL TWA (ppm)	5 ppm
OEL STEL (mg/m ³)	112 mg/m ³
OEL STEL (ppm)	20 ppm
OEL chemical category (SI)	Potential for cutaneous absorption

Spain - Occupational Exposure Limits

VLA-ED (mg/m ³)	168 mg/m ³
VLA-ED (ppm)	30 ppm
OEL chemical category (ES)	Sensitizer, skin - potential for cutaneous absorption

Tutti Fruity

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

d-Limonene (5989-27-5)

Norway - Occupational Exposure Limits

Grenseverdier (AN) (mg/m ³)	140 mg/m ³
Grenseverdier (AN) (ppm)	25 ppm
Grenseverdier (Kortidsverdi) (mg/m ³)	175 mg/m ³ (value calculated)
Grenseverdier (Kortidsverdi) (ppm)	37.5 ppm (value calculated)
OEL chemical category (NO)	Sensitizing substance

Switzerland - Occupational Exposure Limits

MAK (mg/m ³)	40 mg/m ³
MAK (ppm)	7 ppm
KZGW (mg/m ³)	80 mg/m ³
KZGW (ppm)	14 ppm
OEL chemical category (CH)	Sensitizer

8.2. Exposure controls

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Eye protection:

Chemical goggles or safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Wear appropriate mask

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: light yellow. amber.
Odour	: characteristic.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 62.7 °C (closed cup) ASTM D7094
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available

Tutti Fruity

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Flammability (solid, gas)	: Combustible liquid, Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: ≈ 0.91
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Combustible liquid. May form flammable/explosive vapour-air mixture. Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Open flame. Overheating. Direct sunlight. Heat. Sparks. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

May release flammable gases. fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Eugenol (97-53-0)	
LD50 oral	1930 mg/kg
LD50 oral	2500 mg/kg bodyweight

Allyl caproate (123-68-2)	
LD50 oral	300 mg/kg bodyweight
LD50 dermal	300 mg/kg bodyweight
LC50 inhalation rat (Vapours - mg/l/4h)	3 mg/l/4h

Tutti Fruity

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

d-Limonene (5989-27-5)

LD50 oral	4400 mg/kg
LD50 dermal	> 5 g/kg

Linalool (78-70-6)

LD50 oral	2790 mg/kg bodyweight
-----------	-----------------------

Methyl salicylate (119-36-8)

LD50 oral	887 mg/kg
LD50 oral	890 mg/kg bodyweight
LD50 dermal	> 5000 mg/kg

Cinnamic aldehyde (104-55-2)

LD50 oral	2220 mg/kg
LD50 oral	2500 mg/kg bodyweight
LD50 dermal	1260 mg/kg
LD50 dermal	1100 mg/kg bodyweight

Estragole (Methyl chavicol) (140-67-0)

LD50 oral	1230 mg/kg
LD50 oral	1230 mg/kg bodyweight
LD50 dermal	> 5000 mg/kg

Vanillin (121-33-5)

LD50 dermal	> 5010 mg/kg
-------------	--------------

Clove leaf oil (8000-34-8)

LD50 oral	1370 mg/kg
LD50 oral	2650 mg/kg bodyweight
LD50 dermal	1200 mg/kg
LD50 dermal	2500 mg/kg bodyweight

Skin corrosion/irritation	: Causes skin irritation.
Additional information	: Causes skin irritation.
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
*Oral Rat – Dermal Rabbit – Inhalation Rat	

Eugenol (97-53-0)

IARC group	3 - Not classifiable
------------	----------------------

d-Limonene (5989-27-5)

IARC group	3 - Not classifiable
------------	----------------------

Reproductive toxicity	: Suspected of damaging fertility or the unborn child.
-----------------------	--

Tutti Fruity

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.

Eugenol (97-53-0)	
LC50 fish 1	13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])

Allyl caproate (123-68-2)	
LC50 fish 1	0.117 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])

d-Limonene (5989-27-5)	
LC50 fish 1	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 fish 2	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)

Linalool (78-70-6)	
EC50 96h algae (1)	88.3 mg/l (Species: Desmodesmus subspicatus)

Vanillin (121-33-5)	
LC50 fish 1	53 – 61.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 fish 2	88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
NOEC (acute)	10000 mg/kg (Exposure time: 42 Days - Species: Eisenia foetida [soil dry weight])

12.2. Persistence and degradability

Tutti Fruity	
Persistence and degradability	Not established.

Estragole (Methyl chavicol) (140-67-0)	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

Tutti Fruity	
Bioaccumulative potential	Not established.

Methyl salicylate (119-36-8)	
Partition coefficient n-octanol/water (Log Pow)	2.55

Tutti Fruity

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Cinnamic aldehyde (104-55-2)

Partition coefficient n-octanol/water (Log Pow)	2.22 (at 18 °C)
---	-----------------

Estragole (Methyl chavicol) (140-67-0)

Bioaccumulative potential	Not established.
---------------------------	------------------

Vanillin (121-33-5)

Partition coefficient n-octanol/water (Log Pow)	1.23 (at 22 °C)
---	-----------------

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations	: Dispose of contents/container in accordance with local/national laws and regulations. Dispose in a safe manner in accordance with local/national regulations.
Additional information	: Handle empty containers with care because residual vapours are flammable.
Ecology - waste materials	: Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR)	: UN 3082
UN-No. (IMDG)	: UN 3082
UN-No. (IATA)	: UN 3082
UN-No. (ADN)	: UN 3082
UN-No. (RID)	: UN 3082

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (IMDG)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (IATA)	: Environmentally hazardous substance, liquid, n.o.s.
Proper Shipping Name (ADN)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (RID)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Transport document description (ADR)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (d-Limonene), 9, III, (-)
Transport document description (IMDG)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (d-Limonene), 9, III, MARINE POLLUTANT
Transport document description (IATA)	: UN 3082 Environmentally hazardous substance, liquid, n.o.s. (d-Limonene), 9, III
Transport document description (ADN)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III
Transport document description (RID)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III

Tutti Fruity


Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.3. Transport hazard class(es)


ADR

Transport hazard class(es) (ADR) : 9
Danger labels (ADR) : 9




IMDG

Transport hazard class(es) (IMDG) : 9
Danger labels (IMDG) : 9




IATA

Transport hazard class(es) (IATA) : 9
Danger labels (IATA) : 9




ADN

Transport hazard class(es) (ADN) : 9
Danger labels (ADN) : 9



RID

Transport hazard class(es) (RID) : 9
Danger labels (RID) : 9



14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III
Packing group (RID) : III

14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes
Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6

Tutti Fruity


Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Special provisions (ADR) : 274, 335, 375, 601
Limited quantities (ADR) : 5I
Excepted quantities (ADR) : E1
Packing instructions (ADR) : P001, IBC03, LP01, R001
Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions (ADR) : TP1, TP29

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading and handling (ADR) : CV13

Hazard identification number (Kemler No.) : 90
Orange plates :



Tunnel restriction code (ADR) : -
EAC code : •3Z

Transport by sea

Special provisions (IMDG) : 274, 335, 969
Packing instructions (IMDG) : P001, LP01
Special packing provisions (IMDG) : PP1
IBC packing instructions (IMDG) : IBC03
Tank instructions (IMDG) : T4
Tank special provisions (IMDG) : TP2, TP29
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-F
Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L
Special provisions (IATA) : A97, A158, A197
ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6
Special provisions (ADN) : 274, 335, 375, 601
Limited quantities (ADN) : 5 L
Excepted quantities (ADN) : E1
Carriage permitted (ADN) : T
Equipment required (ADN) : PP
Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : M6
Special provisions (RID) : 274, 335, 375, 601
Excepted quantities (RID) : E1
Packing instructions (RID) : P001, IBC03, LP01, R001
Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions (RID) : TP1, TP29

Tank codes for RID tanks (RID) : LGBV

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Tutti Fruity

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Special provisions for carriage – Packages (RID) : W12
Special provisions for carriage - Loading, unloading and handling (RID) : CW13, CW31

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

Reference code	Applicable on
3(a)	Isoamyl acetate ; d-Limonene
3(b)	Tutti Fruity; Eugenol ; Allyl caproate ; Clove leaf oil ; Cinnamic aldehyde ; Linalool ; Methyl salicylate ; d-Limonene ; Estragole (Methyl chavicol)
3(c)	Tutti Fruity; Allyl caproate ; d-Limonene
40.	Isoamyl acetate ; d-Limonene

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG)
Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG)

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting : None of the components are listed

giftige stoffen – Borstvoeding

NIET-limitatieve lijst van voor de voortplanting : None of the components are listed

giftige stoffen – Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting : None of the components are listed

giftige stoffen – Ontwikkeling

Denmark

Class for fire hazard : Class III-1

Store unit : 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product
The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

Tutti Fruity

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 16: Other information

Other information : None.

Full text of H- and EUH-statements:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Carc. 2	Carcinogenicity, Category 2
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Muta. 2	Germ cell mutagenicity, Category 2
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H341	Suspected of causing genetic defects.
H351	Suspected of causing cancer.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.